

Tender No.1/2020/17876, dated: 23.11.2020

Entrusting the work of Printing and supply of PVC EPIC for the voters (New and Replacement) in Tamil Nadu for 5 years due on 14.12.2020 upto 3.00 P.M.

CORRIGENDUM

The Tender Document was released on 23.11.2020. This Corrigendum released based on the queries from the bidders forms part of the Tender Document dated.23.11.2020. The bidders are requested to sign and stamp the Corrigendum document and submit along with the Technical Bid without fail.

Sl. No.	Page No.	Chapter	Clause No.	Existing	Query	Corrigendum
1	17-18	4. Eligibility Criteria	3 c)	The Consortium partner should be in business of installation and commissioning of Card printing kiosk with personalisation and should have an average annual turnover of Rs.1 Crore and above in the last three audited financial years (2017-18, 2018-19 & 2019-20).	The Kiosk based card issuance is not the regular business solution and it may be difficult to find the turn over of 1 Cr.	The word "Card printing" is omitted.
2	44	8. Scope of work	19 (i) Dual side Thermal Dye sublimation PVC Card Printer	Lamination with Tactile: Single- or dual-sided lamination with Tactile (field upgradable)	This specification is a brand specific and not generic. Also, no other Election department in India uses this	Omitted from the RFP.

					specificat ion.	
3.	44	8. Scope of work	19 (i) Field Upgrada ble Options	Single-wire contact/cont actless all-in- one encoder (read/write) for MIFARE, ISO7816, ISO14443 A/B, ISO FeliCa. DESFire Two-wire contact/cont actless all-in- one encoder (read/write) for MIFARE/DE SFire, ISO7816, ISO14443, A/B iCLASS ® by HID, read/write encoder or read-only PC Prox by HID, read-only Third-party OEM smart card option- ready (for contactless readers only - encoder not included) DUALi Single Wire Contact/Con tactless Encoder, ISO 7816, ISO 14443,	Since the EPIC Cards are not smart cards why would these features required.	Omitted from the RFP.

				Mifare, Desfire & Felica OpenCard Factory option only; Supports one- and two-sided printing; Full-color and monochrome printing Front exception card slot supported; Supports legacy Open Card formats; Ethernet or USB		
--	--	--	--	--	--	--